


SNAPPER_{®McDonough, GA., 30253 U.S.A.}

CONTENTS

| PAGE | GROUP |
|--------|---|
| 3 | HOOD & BUMPER |
| 4 | SEAT & SUPPORT |
| 5 | STEERING WHEEL, CONSOLE & FUEL TANK |
| 6, 7 | FRONT AXLE PARTS |
| 8, 9 | CLUTCH, BRAKE & STEERING COMPONENTS |
| 10, 11 | BLADE ENGAGEMENT & TRANSMISSION CONTROLS |
| 12 | IMPLEMENT LIFT PARTS |
| 13 | REAR FENDER & COMPONENTS |
| 14 | TRANSMISSION GROUP |
| 15 | ENGINE COMPONENTS |
| 16, 17 | 33" CUTTING DECK, BELTS & BRAKES |
| 18, 19 | 38" CUTTING DECK, BELTS & BRAKES |
| 20 | SPINDLE - 33" CUTTING DECK |
| 21 | SPINDLE - 38" CUTTING DECK |
| 22 | ELECTRICAL - BRIGGS & STRATTON with LIGHTS |
| 23 | ELECTRICAL - BRIGGS & STRATTON without LIGHTS |
| 24 | WHEELS - FRONT |
| | WHEELS - REAR |
| | ELECTRICAL COMPONENTS |


IT IS THE POLICY OF SNAPPER TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

HOOD, BUMPER & COMPONENTS




LTG SERIES A MANUAL #06430


SEAT, SUPPORT COMPONENTS



| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 5-2606 | ASSEMBLY, Seat Support (Includes items 2 thru 5) |
| 2 | 1-7852 | SUPPORT, Seat |
| 3 | 2-2759 | SPRING (2) |
| 4 | 2-3354 | SWITCH, Seat |
| 5 | 1-7851 | HOLDER, Cushion |
| 6 | 1-9109 | CUSHION, Seat (2) |
| 7 | 1-7875 | KNOB, Seat Adjustment (2) |
| 8 | 3-3318 | BRACKET, Seat Support |
| 9 | 3-3435 | ROD, Seat Hinge |
| 10 | 1-2431 | PIN, Hair |
| - 11 | 9-0721 | BOLT, 5/16-18 x 1/2" Hex Flange Lock (3) |
| 12 | 1-7879 | SEAT, Operator's (LT125G33AB & ELT125G38AB) |
| | 2-4826 | SEAT, Operator's (ELT120G33AB) |
| | 7-1564 | SEAT, Operator's (ELT125G33AB) |
| | | |




FRONT AXLE PARTS




FRONT AXLE PARTS

| ITEM 1 | PART NO. 3-3374 | DESCRIPTION BRACKET, Axle (Rear) |
|-----------|--------------------|---|
| 2 | 1-2063 | WASHER, Cone (4) |
| 3 | 7-6979 | NUT, 3/8-16 Nyloc (2) |
| 4 | 1-9034 | ARM, Steering |
| 5 | 9-0842 | ROLL-PIN, 1/4 x 1 1/4" |
| 6 | 1-0935 | WASHER, Shim (3) |
| 7 | 9-0184 | NUT, 5/16-18 Center Lock (2) |
| 8 | 9-0477 | NUT, 1/4-20 Hex Flange Top-Lock (2) |
| 9 | 1-3864 | FITTING, Lube (2) |
| 10 | 1-9467 | BEARING, Spindle (2) |
| 11 | 2-2758 | BOLT, 1/4-20 x 1 41/64" Shoulder (4) |
| 12 | 3-3383 | BRACKET, Deck Hanger (2) |
| 13 | 9-1046 | SCREW, 5/16-18 x 2 1/2" Hex Head Cap (2) |
| 14 | 3-1036 | WASHER, Thrust (2) |
| 15 | 9-0130 | NUT, 3/8-16 Hex (2) |
| 16 | 9-0118 | WASHER, 3/8 Split Lock (2) |
| 17 | 2-4180 | SPACER, Tie-Rod (2) |
| 18 | 9-0655 | SCREW, 3/8-16 x 1 1/2" Hex Head Cap, Grade 5 (2) |
| 19 | 4-1008 | SPINDLE ASSEMBLY, Left Hand, Long (For 13" Tires) |
| _ | 4-1351 | SPINDLE ASSEMBLY, Left Hand, Short (For 15" Tires) |
| 20 | 5-2490 | BRACKET ASSEMBLY, Axle (Front) |
| 21 | 2-2324 | TIE-ROD |
| 22 | 9-0590 | BOLT, 3/8-16 x 3" Hex Head (2) |
| 23 | 4-1007 | SPINDLE ASSEMBLY, Right Hand, Long (For 13" Tires) |
| | 4-1350 | SPINDLE ASSEMBLY, Right Hand, Short (For 15" Tires) |
| 24 | 4-0986 | AXLE, Front |
| 25 | 1-0746 | RING, Retaining |
| 26 | 2-6595 | SPACER (2) |



CLUTCH, BRAKE & STEERING COMPONENTS

| ITEM | PART NO. | DESCRIPTION | ITEM | PART NO. | DESCRIPTION |
|----------------------|----------|----------------------------------|----------|----------|-----------------------------|
| 1 | 3-3627 | BRACE, Sector Gear | 40 | 9-0585 | NUT, 5/16-18 Hex Flange |
| 2 | 3-3555 | BELLCRANK, Shift Lever | | | Lock (2) |
| 2 3 4 | 2-4286 | LINK, Shift Lever | 41 | 5-2809 | ASSEMBLY, Sector Gear |
| 4 | 2-4287 | LINK, Shift Lever (Twisted) | 42 | 2-4383 | SPRING |
| 5 | 2-2743 | PEDAL, Park Brake | 43 | 1-1791 | RETAINER, 5/16" Bolt |
| 6 | 3-3558 | BRACKET, Brake Switch | 44 | 9-0118 | WASHER, 3/8 Split Lock (3) |
| 7 | 5-2431 | ASSEMBLY, Foot Shaft Pivot | 45 | 1-5067 | PIN, 3/32 x 1-1/2" Hair (2) |
| , | | (Includes Item 8) | 46 | 1-2661 | PAD, Pedal |
| 8 | 1-4871 | FITTING, 3/16 Lube | 47 | 2-3649 | WASHER, 5/16 Nylon (2) |
| 9 | 5-2793 | ASSEMBLY, Clutch/Brake Arm | 48 | 2-3188 | KNOB, Push/Pull |
| 10 | 2-4057 | LATCH, Park Brake | 49 | 1-5992 | WASHER, 5/8 Flat |
| 11 | 2-2886 | SWITCH | 50 | 9-1000 | SCREW, 5/16-18 x 7/8" Truss |
| 12A | 2-2964 | ROD, Lift Link (33" Models) | | | Head (Torx) (2) |
| 12B | 2-6590 | ROD, Lift Link (38" Models) | 51 | 2-4159 | PIN, 3/64 x 1-7/32" Cotter |
| 13 | 3-3556 | GUIDE, Pulley | | | (Self Locking) |
| 14 | 3-3557 | ARM, Idler (Traction Drive) | 52 | 9-0361 | SCREW, 5/16-18 x 5/8" Self- |
| 15 | 2-3954 | PULLEY | | | Tapping (3) |
| 16 | 3-3595 | EXTENSION, Idler Arm | 53 | 2-4874 | PIN, 1/16 x 1-27/64" Cotter |
| 17 | 3-3521 | BRACKET, Rear Lift/PTO Lever | • | | (Self-Locking) |
| 18 | 4-1306 | WELDMENT, Rear Lift | 54 | 9-0163 | SCREW, 3/8-24 x 1-1/4" Hex |
| , 0 | 4-1500 | (33" Models) | • | 0 0.00 | Head Cap |
| | 4-1369 | WELDMENT, Rear Lift | 55 | 9-0913 | SCREW, #10-24 x 1/2" Self- |
| | 4-1303 | (38" Models) | | 0 00 10 | Tapping (Torx) |
| 19 | 3-3520 | BRACKET, Deck Hang Pivot | 56 | 3-1036 | WASHER, 3/4 Thrust |
| 20 | 2-4115 | ASSEMBLY, Clutch/Brake | 57 | 9-0655 | SCREW, 3/8-16 x 1-1/2" Hex |
| 20 | 2-4115 | Cable | J " | 0 0000 | Head Cap |
| 21 | 4-1347 | WELDMENT, Brake Pivot | 58 | 9-0613 | NUT, 3/8-16 Hex Flange Lock |
| 22 | 2-4586 | SWIVEL, Brake Link | 59 | 9-0595 | BOLT, 5/16-18 x 3/4" Hex |
| 23 | 2-4430 | ROD, Brake | ~~ | 0 0000 | Flange Lock |
| 23 24 | 2-4430 | BOLT, 1/2-13 x 2" Shoulder (2) | 60 | 2-3189 | RING, Tolerance |
| 2 4 25 | 2-4604 | BOLT, 1/2-13 x 3-7/8" | 61 | 9-0629 | SCREW, 3/8-16 x 2-1/4" Hex |
| 25 | 2-4004 | Shoulder (2) | . | 0-0020 | Head Cap |
| 26 | 9-0509 | WASHER, 1/2 Internal Lk. (2) | 62 | 2-3645 | PIN, 3/16 x 1-1/2" Clevis |
| 20 27 | 9-0619 | NUT, 1/2-13 Hex Flange Lock (2) | | 2-2742 | BEARING, Flange |
| | 9-0803 | BOLT, 1/4-20 x 5/8" Carriage (6) | 64 | 9-0130 | NUT, 3/8-16 Hex Nut |
| 28 | 9-0583 | NUT, 1/4-20 K 3/6 Carriage (6) | 65 | 1-2080 | TIE, Cable |
| 29 | | SCREW, 3/8-16 x 1-1/4" Hex | 66 | 2-6459 | GUIDE, Drive Belt |
| 30 | 9-0143 | · | 67 | 2-4383 | SPRING, Idler |
| 24 | 0.4400 | Head Cap (2) | 68 | 1-4451 | TIE, Wire |
| 31 | 2-4180 | SPACER | 00 | 5-2728 | ASSEMBLY, Drag Link |
| 32 | 9-0546 | NUT, 3/8-16 Center Lock (2) | | J-2120 | (Includes Items 69Thru 71) |
| 33 | 1-4341 | RING, 1/2" Ext. Retaining(2) | 60 | 2-2846 | LINK, Drag |
| 34 | 9-0250 | WASHER, 1/2" Flat | 69 70 | | ROD END (2) |
| 35 | 1-1016 | BEARING, Nylon (2) | 70 71 | 2-3200 | NUT, 3/8-24 Hex Jam (2) |
| 36 | 2-4381 | SPRING, Brake | 71 | 9-0482 | • |
| 37 | 9-0122 | WASHER, 3/8 Flat | 72 | 9-0975 | NUT, 1/2-13 Hex Center Lock |
| 38 | 7-6979 | NUT, 3/8-16 Hex Top Nyloc | 73 | 9-0037 | PIN, 3/32 x 3/4" Cotter |
| 39 | 9-1001 | SCREW, 5/16-18 x 5/8" Truss | 74 | 4-6778 | WASHER, Pivot- Stiffener |
| | | Head (Torx) (5) | | | |




BLADE ENGAGEMENT & TRANSMISSION CONTROLS

| ITEM | PART NO. | DESCRIPTION |
|----------|------------------|---|
| 1 | 3-3301 | FRAME, Tractor |
| 2 | 2-4824 | GUIDE, Belt |
| 3 | 2-4286 | LINK, Shift Lever |
| 4 | 1-3321 | BUSHING |
| 5 | 4-1307 | WELDMENT, PTO Lever |
| 6 | 4-1310 | WELDMENT, PTO Bellcrank |
| 7 8 | 3-3525 | SUPPORT, PTO Lever PULLEY |
| 9A | 2-4344 3-3576 | BRACKET, Spool (38" Model) |
| 9B | 3-3934 | BRACKET, Spool (33" Model) |
| 10 | 3-3315 | BRACKET, Torque |
| 11 | 2-3182 | SPOOL |
| 12 | 5-2920 | ASSEMBLY, Shift Lever (Lower) |
| 13 | 3-3832 | BRACE, Frame (2) |
| 14 | 3-3541 | BRACKET, Shift Lever (Upper) |
| 15 | 5-2562 | ASSEMBLY, Steering Adjuster |
| 16 | 2-2368 | GEAR, Steering Pinion |
| 17 | 2-3931 | ROD, PTO Link |
| 18 | 2-3957 | LEVER, Shift |
| 19 | 3-3554 | CLIP (2) |
| 20 21 | 1-4296 9-0365 | WASHÉR, 1/2 Shim (2) PIN, 1/8 x 3/4" Cotter |
| 22 | 2-6621 | CABLE, Blade (33" Models) |
| | 2-4377 | CABLE, Blade (38" Models) |
| 23 | 9-0619 | NUT, 1/2-13 Hex Flange Lock |
| 24 | 9-0509 | WASHER, 1/2 Internal Tooth Lock |
| 25 | 2-4518 | BOLT, 1/2-13 x 2 11/32" Shoulder |
| 26 | 9-0037 | PIN, 3/32 x 3/4" Cotter |
| 27 | 9-0122 | WASHER, 3/8 Flat |
| 28 | 1-5067 | PIN, 3/32 x 1 1/2" Hair Cotter |
| 29 | 9-1001 | SCREW, 5/16-18 x 5/8" Truss Head (Torx) (9) |
| 30 | 9-0585 | NUT, 5/16-18 Hex Flange Lock |
| 31 | 9-0655 | SCREW, 3/8-16 x 1 1/2" Hex Head Cap |
| 32 33 | 9-0546 | NUT, 3/8-16 Hex Center Lock NUT, 1/4-20 Hex Flange Lock |
| 33 34 | 9-0583 9-0551 | BOLT, 1/4-20 x 5/8" Short Neck Carriage |
| 35 | 2-4180 | SPACER SINCE SHORT HOOK SAIMAGE |
| 36 | 9-0361 | SCREW, 5/16-18 x 5/8" Self-Tapping |
| 37 | 9-1151 | SCREW, 5/16-18 x 1 1/4" Self-Tapping (2) |
| 38 | 2-4616 | BUSHING, Flange (2) |
| 39 | 7-6978 | NUT, 1/4-20 Hex Flange Lock |
| 40 | 9-0055 | WASHER, 1/4 Flat |
| 41 | 9-0364 | PIN, 5/32 x 1" Cotter |
| 42 | 9-1000 | SCREW, 5/16-18 x 7/8" Truss Head (Torx) |
| 43 | 9-0188 | WASHER, 5/16 Flat |
| 44 | 9-0595 | BOLT, 5/16-18 x 3/4" Hex Flange Lock |
| 45 46 | 3-3556 | GUIDE, Belt |
| 46 | 2-3355 9-0913 | SWITCH, Blade Engagement SCREW, #10-24 x 1/2" Self-Tapping |
| 48 | 2-4457 | DECAL, Instruction/Safety |
| 49 | 2-4455 | PAD, Foot Sandpaper |
| 50 | 3-3911 | BRACKET, Belt Guide |
| 51 | 3-3912 | GUIDE, Engine Belt |
| 52 | 2-4182 | ROD, Spool Pivot |
| 53 | 9-0122 | WASHER, 3/8 Flat |
| 54 | 2-4069 | SPRING, Shift Lever |
| 55 | 2-3656 | KNOB, Deck Lift Lever |
| 56 | 2-3657 | KNOB, Deck Engagement |
| 57 | 9-1023 | WASHER, 1/4 Internal Tooth Lock (2) |

DECALS NOT SHOWN
(Shipped Loose In Bag)
P.N. 2-2840, P.N. 2-2841,
P.N. 2-3008, P.N. 2-3009,
P.N. 2-6250, P.N. 2-6251,
P.N. 2-6252, P.N. 2-6253,
P.N. 2-6254, P.N. 2-6255


IMPLEMENT LIFT PARTS



| | • | |
|------|----------|---|
| ITEM | PART NO. | DESCRIPTION |
| | | |
| 1 | 3-3449 | QUADRANT, Lift Lever |
| 2 | 2-2565 | ROD, Lift Lever |
| 3A | 4-1015 | STRUCTURE, Lift Lever (38" Model) |
| 3B | 4-1494 | STRUCTURE, Lift Lever (33" Model) |
| 4 | 2-4742 | LATCH, Pivot |
| 5 | 2-2568 | DETENT, Latch |
| 6 | 2-2567 | PIVOT, Lift Lever |
| 7 | 4-1301 | BELL-CRANK, Lift Structure (38" Model) |
| | 4-1507 | BELL-CRANK, Lift Structure (33" Model) |
| 8 | 2-2964 | ROD, Lift Link |
| 9 | 2-2566 | SPRING |
| 10 | 2-2895 | PIN, 1/4" x 1-1/8" Dowel |
| 11 | 1-3844 | PIN, 5/32" x 2-5/8" Hair (2) |
| 12 | 9-0999 | SCREW, 1/4-20 X 5/8" Truss Head Torx |
| 13 | 1-4361 | CAP, Lever Rod |
| 14 | 1-9363 | KNOB, Lift Lever |
| 15 | 9-1000 | SCREW, 5/16-18 x 7/8" Truss Head Torx (2) |
| 16 | 9-1001 | SCREW, 5/16-18 x 5/8" Truss Head Torx |
| 17 | 9-0585 | NUT, 5/16-18 Hex Flange Lock (3) |
| | | |


LTG SERIES A

REAR FENDER & COMPONENTS




| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 3-3314 | PAN, Seat (Fender) |
| 2 | 2-3193 | RIV-NUT, 5/16-18 (2) |
| 3 | 2-4905 | DECAL-SNAPPER, 7.28" Molded Logo, White Letters & |
| | | Stripe (33" Model) |
| _ | 2-2970 | DECAL-SNAPPER, 7.28" Molded Logo, Silver Letters, |
| | | Teal Stripe (38" Model) |
| 4 | 3-3312 | SUPPORT, Fender |
| 5 | 9-0361 | SCREW, 5/16-18 x 5/8" Hex Washer Head, Self-Tapping (4) |
| 6 | 9-1105 | SCREW, #10-16 x 1/2" Hex Washer Head, Self-Tapping (4) |
| 7 | 3-3907 | DETENT, Gear Shift |
| 8 | 2-4731 | DECAL, Shift Cover, 5 Speed |
| 9 | 2-4894 | COVER, Shift |
| 10 | 9-0999 | SCREW, 1/4-20 x 5/8" Truss Head, Torx (4) |
| 11 | 9-1001 | SCREW, 5/16-18 x 5/8" Truss Head, Torx (4) |
| 12 | 2-6415 | DECAL - CAUTION, Battery Location |


TRANSMISSION GROUP



| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 1-7802 | TRANSAXLE ASSEMBLY |
| 2 | 2-2760 | PULLEY, Drive |
| 3 | 3-1036 | WASHER, Flat (2) |
| 4 | 2-2811 | SPACER |
| 5 | 9-0702 | BOLT, 5/16-18 x 2 1/4" Hex Flange Lock (4) |
| 6 | 9-0585 | NUT, 5/16-18 Hex Flange Lock (4) |
| 7 | 1-0211 | KEY, Woodruff |
| 8 | 1-2763 | RING, Retaining |
| 9 | 2-9584 | BELT, P915, Traction Drive |
| 10 | 9-1165 | BOLT, 1/4-28 x 5/8" Hex Head, Grade 8 |
| 11 | 9-0746 | WASHER, Bellville (2) |
| 12 | 3-3552 | ARM, Shift Input |

ENGINE COMPONENTS






33" CUTTING DECK, BELTS, BRAKES

| ITEM | PART NO | DESCRIPTION | I ITEM | PART NO | DESCRIPTION |
|-------------|------------------|--|----------|------------------|--|
| 1 | 2-6546 | BELT, 33" Drive | 48 | 9-0492 | WING-NUT. 5/16-18 |
| 2 | 2-6558 | PULLEY, Spindle, 7" O.D. | 49 | 9-0130 | NUT, 3/8-16 Hex (2) |
| 3 | 1-0027 | NUT, 3/4-16 Hex Jam | 50 | 9-0118 | WASHER, 3/8 Split Lock (2) |
| 4 | 1-4304 | PIN, 1/4 x 1 1/4" Clevis | 51 | 9-0584 | BOLT, 1/4-20 x 1/2" Hex |
| 5 | 5-2886 | BAND, Brake | " | 0 0004 | Flange Lock |
| 6 | 3-2169 | DRUM, Brake | 52 | 9-0850 | BOLT, 3/8-16 x 3/4" Carriage |
| 7 | 2-4192 | ROD, Link, Clutch/Brake | 53 | 3-2432 | LINK, Adjustment |
| 8 | 1-0740 | RING, Retaining (2) | 54 | 1-5012 | ECCENTRIC, Leveling |
| 9 | 3-8018 | BRACE, Spindle | 55 | 9-0563 | SCREW, 3/8-16 x 1" Hex |
| 10 | 9-0368 | SCREW, 5/16-18 x 3/4" | 1 | | Head Cap |
| | | Self-Tapping | 56 | 9-0721 | BOLT, 5/16-18 x 1/2" Hex |
| 11 | 9-0456 | NUT, 3/8-16 Hex Cntr. Lock | | | Flange Lock (8) |
| 12 | 1-6153 | SPRING, Clutch & Brake | 57 | 3-8453 | RAIL, Side (2) |
| 13 | 4-1487 | GUIDE, Belt | 58 | 3-3952 | ANCHOR, Brake |
| 14 | 9-0037 | COTTER-PIN, 3/32 x 3/4" (2) | 59 | 5-2917 | ASSEMBLY, Spindle (Includes |
| 15 | 9-0055 | WASHER, Flat | 1 | | items 60 thru 70) |
| 16 | 2-7717 | PULLEY, Idler 3 1/4" O.D. | 60 | 2-4687 | SPINDLE |
| 17 | 9-0122 | WASHER, 3/8 SAE (3) | 61 | 1-0817 | FITTING, Lube |
| 18 | 9-0503 | BOLT, 3/8-16 x 1 3/4" Hex Hd. | 62 | 5-2294 | HOUSING, Spindle (Includes |
| 19 20 | 1-7516 | SWIVEL, Brake | | 1.0404 | item 61) |
| 20 21 | 1-2431 2-6677 | PIN, 1/4 x 1 1/8" Hair (2) BOLT, 1/4-20 Eye | 63 | 1-2491 | RING, Retaining (2) |
| 22 | 1-4303 | NUT, 1/4-20 Tee | 64 65 | 1-3313 | BEARING, Spindle (2) |
| 23 | 9-0063 | NUT, 1/4-20 Hex | 66 | 1-4407 3-7751 | WASHER, Spindle (2) HOLDER, Blade |
| 24 | 2-6639 | ROD, Front Lift | 67 | 9-0559 | NUT, 1/2-20 Hex Jam (4) |
| 25 | 3-3938 | BRACKET, Front Lift Hanger | " | 9-0339 | (2 in assembly) |
| 26 | 1-3460 | PIN, 3/8 x 1 1/2" Clevis | 68 | 9-0509 | WASHER, 1/2 Int. Tooth Lk. (2) |
| 27 | 2-7471 | PIN, Front Deck Hanger | 69 | 9-0392 | SCREW, 1/2-20 Hex Head |
| 28 | 1-3844 | PIN, .148 x 2.62" Hair (2) | 00 | 0.0002 | Cap (4) (2 in assembly) |
| 29 | 4-1495 | LIFT, Front Arm | 70 | 9-0356 | NUT, 5/8-18 Hex Lock |
| 30 | 3-2027 | WASHER, Flat (2) | 71 | 5-7482 | ASSEMBLY, Blade & Air Lift |
| 31 | 1-5272 | SPACER (3) | | | (Includes items 72 thru 76) |
| 32 | 1-9190 | WHEEL, Gage (3) | 72 | 1-9523 | BLADE, 33" Mower Deck |
| 33 | 9-0289 | NUT, 3/8-24 Hex Lock (3) | 73 | 3-7723 | AIR-LIFT (2) |
| 34 | 9-0004 | BOLT, 5/16-18 x 1/2" Short | 74 | 9-0228 | SCREW, 5/16-24 x 11/16" |
| | | Neck Carriage (6) | | | Machine (6) |
| 35 | 9-0585 | NUT, 5/16-18 Hex Flange | 75 | 9-0391 | WASHER, 5/16 Internal |
| | | Lock (13) | * | | Tooth Lock (6) |
| 36 | 9-0859 | SCREW, 3/8-24 x 3 3/4" Hex | 76 | 9-0223 | NUT, 5/16-24 Hex (6) |
| 07 | | Head Cap (3) | 77 | 3-8450 | BRACKET, Gage Wheel Rear (2) |
| 37 | 1-5067 | PIN, Hair | 78 | 3-3115 | BRACKET, Rear Lift (2) |
| 38 | | PIN, Hinge | 79 | 2-4387 | CABLE, Deck Lift, Rear (2) |
| 39 | 9-0612 | BOLT, 3/8-16 x 3/4" Hex | 80 | 2-2991 | DECAL, 33" Hi-Vac |
| 40 | 0.0506 | Flange Lock (14) | 81 | 1-6973 | DECAL - CAUTION (Rotating |
| 40 41 | | HINGE, Deflector | 00 | 0.4400 | Blades) |
| 41 | 5-2555 | ASSEMBLY, Deflector (Includes item 42) | 82 83 | 2-4183 | ARM, Pivot |
| 42 | 1-3010 | DECAL, Danger (Cut | 84 | 3-3578 3-3926 | BRACKET, Pivot Arm |
| 42 | 1-3010 | Finger) | 85 | 9-0361 | GUIDE, Belt SCREW, 5/16-18 x 5/8" Self- |
| 43 | 5-3180 | DECK, Cutting, 33" (Includes | 00 | 9-0301 | · · |
| 40 | | items 46 & 81) | 86 | 1-5761 | Tapping (6) |
| 44 | | BOLT, 5/16-18 x 3/4" Short | 87 | 9-0583 | SCREW, 5/16-18 x 3/4" Shoulder NUT, 1/4-20 Hex Flange Lock |
| | | Neck Carriage | 88 | 1-2670 | RING, Tolerance |
| 45 | | NUT, 3/8-16 Hex Flng. Lk. (14) | 89 | 3-3586 | BRACKET, Link, Clutch/Brake |
| 46 | | DECAL - CAUTION (Deflector) | 90 | 3-8451 | BRACKET, Gage Wheel (Front) |
| 47 | | WASHER, 5/16 Flat | 91 | 4-1311 | ARM, Idler |
| ., | 3 3 100 | | • • | | , it if it is it i |

38" CUTTING DECK, BELTS, BRAKES




38" CUTTING DECK, BELTS, BRAKES

| ITEM | PART NO | . DESCRIPTION |
|------|--------------------|---------------------------------------|
| 1 | 2-4614 | BELT, Drive, 38* Cutting Deck |
| 2 | 9-1006 | NUT, 5/8-18 Hex Nyloc (2) |
| 3 | 2-4634 | PULLEY, Spindle (2) |
| 4 | 7-6979 | NUT, 3/8-16 Hex Nyloc (2) |
| 5 | 9-0122 | WASHER, 3/8 Flat (10) |
| 6 | 2-4725 | PULLEY, Idler |
| 7 | 1-3847 | RETAINÉR, 3/8 Bolt |
| 8 | 4-1392 | ARM, Idler Pulley |
| 9 | 9-0738 | BOLT, 3/8-16 x 2 3/4" Short Neck |
| | | Carriage, Grade 5 |
| 10 | 1-2306 | BUSHING, Flange (2) |
| 11 | 2-6618 | STUD, Idler |
| 12 | 9 -0188 | WASHER, Flat (2) |
| 13 | 1-5447 | ECCENTRIC, Leveling |
| 14 | 9-0037 | COTTER-PIN, 3/32 x 3/4" (3) |
| 15 | 5-2886 | ASSEMBLY, Brake Band |
| 16 | 3-3816 | DRUM, Brake |
| 17 | 1-4304 | PIN, 1/4 x 1 5/8" Clevis |
| 18 | 1-4302 | BOLT, 1/4-20 Eye |
| 19 | 3-3825 | ANCHOR, Blade Brake |
| 20 | 2-4908 | NUT, 1/4-20 "T" Lock |
| 21 | 9-0063 | NUT, 1/4-20 Hex |
| 22 | 9-0585 | NUT, 5/16-18 Hex Flange Lock (32) |
| 23 | 2-4801 | GUARD, Belt (2) |
| 24 | 1-3844 | PIN, Hair (2) |
| 25 | 3-3407 | PIN, Deck Hanger |
| 26 | 3-3704 | BRACKET, Front Lift Arm (Left Side) |
| 27 | 4-1371 | LIFT, Front Arm |
| 28 | 2-6525 | BRACKET, Front Lift Arm (Right Side) |
| 29 | 9-1121 | NUT, 1/2-13 Hex Nyloc |
| 30 | 2-6310 | PULLEY, Idler |
| 31 | 3-3728 | BRACKET, Idler |
| 32 | 9-0250 | WASHER, 1/2 Flat |
| 33 | 9-0815 | SCREW, 3/8-16 x 3/4" Self-Tapping (5) |
| 34 | 9-0652 | BOLT, 1/2-13 x 3" Hex Head Cap |
| 35 | 3-3751 | ARM, Front Lift |
| 36 | 9-0731 | BOLT, 5/16-18 x 1/2" Short Neck |
| | | Carriage (32) |
| 37 | 9-0974 | BOLT, 3/8-24 x 3/4" Hex Head |


| ITEM | PART NO. | DESCRIPTION |
|----------|----------|--|
| 38 | 3-3929 | GUIDE, Belt |
| 39 | 9-1097 | BOLT, 5/16-18 x 3/4" Short Neck Carriage (2) |
| 40 | 2-6158 | SPRING, Chute Deflector Hinge |
| 41 | 2-6173 | SPRING, Blade Brake |
| 42 | 2-6161 | PIN, 5/16 x 3 3/16" Clevis |
| 43 | 3-3706 | HINGE, Chute Deflector |
| 44 | 3-3639 | DECK, 38" Cutting |
| 45 | 9-0289 | NUT, 3/8-24 Hex Lock (4) |
| 46 | 3-3756 | BRACKET, Gage Wheel, Front (2) |
| 47 | 2-6122 | WHEEL, Gage (4) |
| 48 | 1-1720 | BOLT, 3/8-24 Shoulder (4) |
| 49 | 5-3165 | ASSEMBLY, Chute Deflector (Includes 1 ea. |
| | | item 12 & 14, & items 40, 42, 43, & 50) |
| 50 | 1-3010 | DECAL, DANGER |
| 51 | 9-0492 | NUT, 5/16-18 Wing |
| 52 | 1-1791 | RETAINER, 5/16 Bolt |
| 53 | 9-0001 | BOLT, 5/16-18 x 3/4" Short Neck Carriage, |
| | | Grade 2 |
| 54 | 3-3890 | BRACKET, Wheel, Right Side |
| 55 | 2-4466 | BLADE, 38" Cutting Deck (2) |
| 56 | 2-6450 | CABLE, Rear Lift (2) |
| 57 | 3-3698 | BRACKET, Rear Deck Lift (Right Side) |
| 58 | 3-3891 | BRACKET, Wheel (Left Side) |
| 59 | 3-3893 | BRACKET, Rear Deck Lift (Left Side) |
| 60 | 1-6245 | RETAINER, 1/2" Bolt |
| 61 | 2-6648 | SWIVEL, Lift |
| 62 | 2-6635 | BOLT, "J" |
| 63 | 2-6634 | BRACKET, Angle (Front) |
| 64 | 1-6231 | PIN, Hair (2) |
| 65 | 9-0500 | WASHER, 7/16 Flat |
| 66 | 9-0390 | WASHER, 3/8 Internal Tooth Lock |
| 67 | 9-0130 | NUT, 3/8-16 Hex |
| 68 | 2-6649 | SPACER, Lift |
| 69 70 | 2-6154 | DECAL - Inch |
| 70 | 1-6973 | DECAL - CAUTION (Rotating Blades) |
| 71 | 1-4852 | DECAL - CAUTION |
| | | |

SPINDLE - 33" CUTTING DECK




| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 5-2917 | ASSEMBLY, Spindle Housing, 33" Cutting Deck |
| | | (Includes items 2 thru 11) |
| 2 | 1-2491 | RING, Retaining (2) |
| 3 | 1-3313 | BEARING, Spindle (2) |
| 4 | 5-2294 | HOUSING, Spindle (Includes item 5) |
| 5 | 1-0817 | FITTING, Lube |
| 6 | 9-0392 | SCREW, 1/2-20 x 1" Hex Head Cap, Gr. 5 (2) |
| 7 | 9-0559 | NUT, 1/2-20 Hex Jam (2) |
| 8 | 9-0356 | NUT, 5/8-18 Hex Lock |
| 9 | 3-7751 | HOLDER, Blade |
| 10 | 1-4407 | WASHER, Spindle |
| 11 | 2-4687 | SPINDLE |
| 12 | 1-2670 | RING, Tolerance |

SPINDLE - 38" CUTTING DECK




| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 5-2847 | ASSEMBLY, Spindle Housing, 38", Cutting Deck (Includes |
| | | items 2 thru 8) |
| 2 | 1-3020 | BEARING, Spindle (2) |
| 3 | 2-4465 | SPACER, Spindle Housing |
| 4 | 2-4461 | HOUSING, Spindle |
| 5 | 2-4462 | SPINDLE |
| 6 | 2-4463 | SPACER, Blade |
| 7 | 2-4467 | WASHER, Belleville, 19/32"I.D., 1 3/4"O. D. (2) |
| 8 | 2-4468 | NUT, 9/16-18 Hex Jam |


ELECTRICAL - Brigg's & Stratton with Lights




SCHEMATIC




ELECTRICAL - Brigg's & Stratton without Lights




SCHEMATIC



WHEELS - FRONT




| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 5-2681 | ASSEMBLY, Front Tire & Rim (Includes items 2 thru 6) (33" Model) |
| _ | 5-2957 | ASSEMBLY, Front Tire & Rim (Includes items 2 thru 6) (38" Model) |
| 2 | 2-2772 | RIM, 5.50 x 4.00 |
| 3 | 2-2773 | TIRE, 13 x 5.00 (33" Model) |
| _ | 2-6109 | TIRE, 15 x 6.00 (38" Model) |
| 4 | 1-4483 | BEARING, Wheel (2) |
| 5 | 1-3876 | FITTING, Lube |
| 6 | 1-2234 | VALVE, Air (Snap-in) |
| 7A | 3-2027 | WASHER, 49/64 I.D. x 1-1/2" O.D. |
| 7B | 2-6608 | RETAINER, Hub-Cap (33" Models) |
| 8 | 9-0364 | COTTER-PIN |
| 9A | 1-1022 | HUB-CAP (33" Model) |
| 9B | 1-9417 | WHEEL-COVER (38" Model) |
| 10 | 3-3701 | WASHER, 25/32 I.D. x 1-1/2" O.D. |



| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 5-2845 | ASSEMBLY, Rear Tire & Rim (Includes items 2 thru 4) (33" Model) |
| _ | 5-2846 | ASSEMBLY, Rear Tire & Rim (Includes items 2 thru 4) (38" Model) |
| 2 | 2-6112 | TIRE, 18 x 7.50 (33" Model) |
| _ | 2-6113 | TIRE, 18 x 8.50 (38" Model) |
| 3 | 2-4453 | RIM, 8.00 x 5.375 (33" Model) |
| _ | 2-4454 | RIM, 8.00 x 7.00 (38" Model) |
| 4 | 1-2234 | VALVE, Air (Snap-in) |
| 5A | 1-1022 | HUB-CAP (33" Model) |
| 5B | 1-9418 | WHEEL-COVER (38" Model) |
| 6 | 1-2705 | RING, Retaining |
| 7 | 1-1071 | WASHER, 49/64 I.D. x 1-5/8" O.D. Thrust (33" Models) |
| 8 | 3-2027 | WASHER, Flat, 49/64" I.D. x 1 1/2" O.D. |
| 9 | 1-7173 | KEY, Square, 3/16 x 2 1/2* |

ELECTRICAL COMPONENTS



| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 6-0618 | KIT, Battery (Includes 1-6134 Decal and Battery Without Acid) |
| 2 | 1-7853 | TRAY, Battery |
| 3 | 1-8604 | SOLENOID |
| 4 | 2-4614 | CABLE, Ground (Black) |
| 5 | 1-4476 | CABLE, Positive (Red) |
| 6 | 9-0539 | SCREW, 1/4-20 x 1/2" Self-Tapping (2) |
| 7 | 1-2485 | RETAINER, 1/4 Bolt |
| 8 | 9-0997 | NUT, 1/4-20 Locking Wing |
| 9 | 9-0074 | BOLT, 1/4-20 x 3/4" Carriage (2) |
| 10 | 9-0311 | NUT, 1/4-20 Wing (2) |
| 11 | 1-2444 | COVER, Positive Terminal |

| | | | | N |
|-----|--|---|--|-------------|
| | | | | |
| | | | | T |
| | | | | E |
| | | | | S |
| | | | | |
| | | | | |
| | | | | |
| | | | | ······ |
| · | | | | |
| | ······································ | | | |
| | | | | |
| | | | | |
| - | | | | |
| | | | | |
| - | | | | |
| | · | | · | |
| | | | | ····· |
| | | | | |
| | | | | |
| | | | | <u> </u> |
| · . | | W. W. Million of the Control of the | | |
| | | | ************************************* | |

Parts Manual for

SNAPPER®

LT125G33AB ELT120G33AB ELT125G33AB & ELT125G38AB SERIES "A" LAWN TRACTORS

SNAPPER McDonough, GA., 30253 U.S.A.